

Design and Construction Guidance for Community Safe Rooms

Table of Contents

Preface	i
1 Introduction	1-1
1.1 Purpose	1-1
1.2 Safe Rooms vs. Shelters	1-2
1.3 Background	1-5
1.3.1 Tornado Events	1-5
1.3.2 Hurricane Events	1-8
1.3.3 Post-Disaster Assessments, Research, and Design Development	1-10
1.4 Organization of the Publication	1-13
2 Protection Objectives	2-1
2.1 What is a Safe Room?	2-2
2.1.1 Structural and Building Envelope Characteristics of Safe Rooms	2-4
2.1.2 Design Criteria for Different Types of Safe Rooms and Shelters	2-5
2.1.3 Occupant Safety	2-6
2.2 Safe Room Design Process	2-7
2.2.1 The Threat From Extreme-Wind Events	2-7
2.2.2 Vulnerability Assessment	2-16
2.2.3 Population at Risk	2-17
2.2.4 Risk Analysis	2-18
2.2.5 Types of Safe Rooms	2-19
2.3 Safe Room Costs	2-21
2.3.1 Design Parameters Affecting Safe Room Costs	2-21
2.3.2 Recent Safe Room Cost Data	2-22

2.3.3	Other Factors Impacting Cost	2-23
2.3.4	Additional Factors to Consider When Constructing a Safe Room.....	2-26
2.4	Benefit-Cost Analysis	2-26
2.4.1	Existing Shelter BCA Software.....	2-27
2.4.2	New Tornado Safe Room BCA Software.....	2-28
3	Design Criteria for Tornado and Hurricane Safe Rooms.....	3-1
3.1	General Approach to the Design of Safe Rooms.....	3-1
3.2	Load Combinations	3-3
3.2.1	Load Combinations Using Strength Design.....	3-4
3.2.2	Load Combinations Using Allowable Stress Design.....	3-5
3.2.3	Other Loads and Load Combination Considerations.....	3-6
3.3	Tornado Community Safe Room Design Criteria	3-7
3.3.1	Wind Design Parameters for Tornado Community Safe Rooms.....	3-7
3.3.2	Debris Impact Criteria for Tornado Community Safe Rooms	3-12
3.4	Hurricane Community Safe Room Design Criteria.....	3-14
3.4.1	Wind Design Parameters for Hurricane Community Safe Rooms.....	3-15
3.4.2	Debris Impact Criteria for Hurricane Community Safe Rooms	3-20
3.5	Residential Safe Room Design Criteria	3-23
3.5.1	Wind Design Parameters for Residential Safe Rooms.....	3-24
3.5.2	Debris Impact Criteria for Residential Safe Rooms	3-26
3.6	Flood Hazard Design Criteria for Safe Rooms	3-28
3.6.1	Flood Design Criteria for Community Safe Rooms.....	3-29
3.6.2	Flood Design Criteria for Residential Safe Rooms	3-31
3.7	Product Testing	3-33
3.8	Permitting, Code Compliance, Professional Design Oversight, and Peer Review	3-34
3.8.1	Permitting and Code Compliance	3-34
3.8.2	Professional Design Oversight	3-35
3.8.3	Peer Review	3-36
3.9	Construction Documents, Signage Criteria, and Labeling	3-36
3.9.1	Construction Documents.....	3-36
3.9.2	Signage Criteria and Labeling.....	3-38

3.10 Quality Assurance/Quality Control and Special Inspections	3-38
3.10.1 Detailed Quality Assurance/Quality Control Recommendations.....	3-38
3.10.2 Quality Assurance Plan Preparation	3-39
3.10.3 Contractor’s Responsibility.....	3-40
3.10.4 Special Inspections and Acceptance	3-40
4 Characteristics of Tornadoes and Hurricanes	4-1
4.1 General Wind Effects on Buildings	4-1
4.2 Wind-Induced Forces – Tornadoes and Hurricanes.....	4-2
4.2.1 Tornadoes	4-2
4.2.2 Hurricanes and Typhoons.....	4-7
4.3 Effects of Extreme-Wind Forces	4-8
4.3.1 Effects of Tornado and Hurricane Wind Forces.....	4-10
4.3.2 Forces Generated by the Safe Room Design Wind Speed.....	4-10
4.3.3 Building Failure Modes – Elements, Connections, and Materials	4-13
4.3.4 Cyclic Loading	4-14
4.3.5 Windborne Debris and the Selection of the Representative Missile.....	4-15
4.4 Multi-Hazard Considerations.....	4-16
4.4.1 Multi-Hazard Risk Assessment	4-16
4.4.2 Multi-Hazard Design	4-16
4.4.3 Flood Hazards	4-17
4.4.4 Seismic Hazards	4-18
4.5 Other Hazards	4-21
4.6 Fire Protection and Life Safety	4-22
5 Types, Location, and Siting of Safe Rooms	5-1
5.1 Safe Room Types	5-1
5.1.1 Stand-Alone Safe Rooms.....	5-2
5.1.2 Internal Safe Rooms.....	5-3
5.2 Single-Use and Multi-Use Safe Rooms	5-3
5.2.1 Single-Use Safe Rooms.....	5-4
5.2.2 Multi-Use Safe Rooms	5-5
5.3 Modifying and Retrofitting Existing Spaces.....	5-6
5.3.1 General Retrofitting Issues.....	5-6
5.3.2 Specific Retrofitting Issues.....	5-7

5.4	Community Safe Rooms for Neighborhoods	5-9
5.5	Community Safe Rooms at Public Facilities	5-11
5.6	Safe Room Site Selection	5-13
5.6.1	Site Function and Use Considerations.....	5-13
5.6.2	Site Safety and Accessibility Considerations	5-13
5.6.3	Other Criteria to Consider	5-14
5.7	Locating Safe Rooms on Building Sites	5-14
6	Commentary on Load Determination and Structural Design Criteria	6-1
6.1	Commentary on the General Approach	6-1
6.1.1	Design Wind Speeds.....	6-2
6.1.2	Design Wind Speeds for Tornado Safe Rooms.....	6-3
6.1.3	Design Wind Speeds for Hurricane Safe Rooms.....	6-5
6.1.4	Wind Speeds for Alaska.....	6-8
6.1.5	Probability of Exceeding the Design Wind Speed	6-8
6.2	Commentary on Load Combinations	6-9
6.2.1	Strength Design.....	6-9
6.2.2	Allowable Stress Design (ASD).....	6-11
6.2.3	Combination of Loads – MWFRS and C&C	6-13
6.3	Commentary on Tornado Community Safe Room Design Criteria	6-16
6.3.1	Wind Design Parameters Using ASCE 7-05.....	6-16
6.4	Commentary on Hurricane Community Safe Room Design Criteria	6-21
6.5	Commentary on Residential Safe Room Design Criteria.....	6-23
6.6	Commentary on Continuous Load Path Concepts.....	6-24
6.7	Anchorage and Connections	6-25
6.7.1	Roof Connections and Roof-to-Wall Connections	6-25
6.7.2	Foundation-to-Wall Connections and Connections Within Wall Systems	6-27
7	Commentary on Debris Impact Performance Criteria for Safe Rooms	7-1
7.1	Windborne Debris in Tornadoes and Hurricanes	7-2
7.1.1	Debris Potential at Safe Room Sites.....	7-3
7.1.2	Representative Missiles for Debris Impact Testing.....	7-5
7.2	Commentary on Resistance to Missile Loads and Successful Testing Criteria	7-8

7.2.1	Debris Impact Test Speeds for Representative Missiles	7-10
7.2.2	Induced Loads From the Design Missile and Other Debris	7-12
7.3	Commentary on Performance of Wall and Roof Assemblies During Debris Impact Tests.....	7-16
7.3.1	Impact Resistance of Wood Systems	7-16
7.3.2	Impact Resistance of Sheet Metal	7-17
7.3.3	Impact Resistance of Composite Wall Systems	7-18
7.3.4	Impact Resistance of Concrete Masonry Units.....	7-18
7.3.5	Impact Resistance of Reinforced Concrete	7-19
7.4	Commentary on General Performance of Doors, Door Frames, and Windows During Debris Impact Tests.....	7-20
7.4.1	Door Construction	7-21
7.4.2	Door Frames	7-23
7.4.3	Door Hardware	7-23
7.4.4	Doors and Egress Recommendations	7-25
7.4.5	Performance of Windows During Debris Impact Tests	7-27
7.5	Commentary on Soil Protection From Debris Impact	7-28
7.6	Commentary on Large Falling Debris	7-28
8	Human Factors Criteria.....	8-1
8.1	Protection of Critical Support Systems	8-1
8.2	Occupancy Duration	8-2
8.2.1	Tornado Safe Rooms	8-2
8.2.2	Hurricane Safe Rooms.....	8-2
8.3	Ventilation	8-2
8.3.1	Ventilation for Tornado Community Safe Rooms	8-3
8.3.2	Ventilation for Hurricane Community Safe Rooms	8-4
8.4	Square Footage, Occupancy, and Egress Recommendations	8-5
8.4.1	Tornado and Hurricane Community Safe Room Square Footage Criteria.....	8-5
8.4.2	Tornado and Hurricane Residential Safe Room Square Footage Criteria	8-7
8.5	Distance and Travel Time	8-7
8.6	Americans with Disabilities Act (ADA).....	8-8
8.7	Special Needs	8-9
8.8	Lighting.....	8-9

8.9	Emergency Provisions	8-10
8.9.1	Food and Water.....	8-10
8.9.2	Sanitation Management	8-10
8.9.3	Emergency Supplies	8-11
8.9.4	Communications Equipment	8-11
8.10	Standby Power	8-12
9	Emergency Management Considerations	9-1
9.1	Community Safe Room Operations Plan	9-2
9.1.1	Community Safe Room Manager.....	9-3
9.1.2	Building Manager	9-4
9.1.3	Shift Supervisor	9-4
9.1.4	Registration Unit Leader.....	9-5
9.1.5	Health Services Unit Leader	9-5
9.1.6	Communications Unit Leader.....	9-6
9.1.7	Food Unit Leader.....	9-6
9.1.8	Equipment and Supplies	9-7
9.2	Community Safe Room Maintenance Plan	9-7
9.3	Commercial or Public Building Safe Room Operations Plan	9-8
9.3.1	Emergency Assignments	9-8
9.3.2	Emergency Call List	9-9
9.3.3	Tornado/Hurricane Procedures for Safety of Employees	9-10
9.4	Signage	9-10
9.4.1	Community Signage.....	9-11
9.4.2	Building Signage at Schools and Places of Work.....	9-11
10	References	10-1

Appendices

APPENDIX A Acknowledgments

APPENDIX B Safe Room Assessment and Design Tools

APPENDIX C Case Study I – Stand-Alone Community Safe Room (North Carolina)

APPENDIX D Case Study II – School Community Safe Room (Kansas)

APPENDIX E Wall Sections That Passed Previous Missile Impact Tests

APPENDIX F Doors and Hardware That Passed Previous Missile Impact Tests**APPENDIX G Design Guidance on Missile Impact Protection Levels for Wood Sheathing****APPENDIX H Acronyms and Abbreviations****Tables****Chapter 1**

Table 1-1. Past FEMA Safe Room and Shelter Publications and Guidance	1-13
--	------

Chapter 2

Table 2-1. Wind Safe Room and Shelter Design Codes, Standards, and Guidance Comparison.....	2-8
Table 2-2. Wind Safe Room and Shelter Design Values Comparison	2-10
Table 2-3. Risk Analysis Matrix	2-18
Table 2-4. Cost Data From Recent Community Safe Room Projects.....	2-22

Chapter 3

Table 3-1. Occupant Density for Tornado Community Safe Rooms.....	3-11
Table 3-2. Tornado Missile Impact Criteria	3-13
Table 3-3. Occupant Density for Hurricane Community Safe Rooms	3-19
Table 3-4. Hurricane Missile Impact Criteria	3-22
Table 3-5. Occupant Density for Residential Safe Rooms.....	3-26
Table 3-6. Residential Safe Room Missile Impact Criteria.....	3-27

Chapter 4

Table 4-1. Comparison Table for the Fujita and Enhanced Fujita Scales	4-5
Table 4-2. The Saffir-Simpson Hurricane Scale Wind Speeds and Pressures	4-7

Chapter 6

Table 6-1. Tornado Frequencies in the United States (1950-2006)	6-4
Table 6-2. Saffir-Simpson Hurricane Scale	6-6

Chapter 7

Table 7-1. Windborne Debris (Missiles) Classifications for Tornadoes and Hurricanes...	7-3
Table 7-2. Debris Impact Test Requirements for Tornadoes and Hurricanes	7-8
Table 7-3. Missile Speed as a Function of Exposure and Distance Traveled	7-11
Table 7-4. Missile Speed and Distance Traveled Relationships.....	7-12

Chapter 8

Table 8-1. Venting Area Requirements for Tornado Safe Rooms	8-4
Table 8-2. Venting Area Requirements for Hurricane Safe Rooms	8-5

Figures**Chapter 1**

Figure 1-1. Destroyed tornado refuge area at an elementary school	1-6
Figure 1-2. Destroyed tornado refuge area at a high school	1-7
Figure 1-3. Severely damaged hurricane shelter	1-10

Chapter 2

Figure 2-1. Process for risk and needs assessments for safe rooms	2-12
Figure 2-2. Tornado occurrence map	2-14
Figure 2-3. Flowchart for the existing benefit-cost model	2-27

Chapter 3

Figure 3-1. Tornado Safe Room Design Wind Speed Map (consistent with ICC-500 Tornado Hazard Map)	3-8
Figure 3-2. Hurricane Safe Room Design Wind Speed Map	3-16
Figure 3-2a. Western Gulf of Mexico Detail	3-17
Figure 3-2b. Eastern Gulf of Mexico Detail	3-17
Figure 3-2c. Mid-Atlantic and Northeast Detail.....	3-18
Figure 3-3. Storm surge.....	3-30

Chapter 4

Figure 4-1. Typical tornado damage	4-6
Figure 4-2. Typical hurricane damage.....	4-9
Figure 4-3. Calculated pressures acting on a typical safe room	4-12
Figure 4-4. Internal pressurization and resulting building failure	4-13
Figure 4-5. Forces on a building due to wind moving around the structure.....	4-14
Figure 4-6. Examples of buildings with regular and irregular shapes	4-19
Figure 4-7. Time response of ground during a seismic event.....	4-19
Figure 4-8. Example of a single-degree-of-freedom system.....	4-19
Figure 4-9. Acceleration vs. period of structure.....	4-20

Chapter 5

Figure 5-1. Signs at an airport showing the best available areas of refuge	5-6
--	-----

Figure 5-2. Illustration of properly and improperly sited community and residential safe rooms in a coastal environment.....	5-15
Figure 5-3a. Elevation details for sample community safe rooms presented in Figure 5-2.	5-16
Figure 5-3b. Elevation details for sample residential safe rooms presented in Figure 5-2.	5-17
Chapter 6	
Figure 6-1. MWFRS and C&C loads acting on a structural member.....	6-15
Figure 6-2. Tributary and effective wind areas for a roof	6-21
Figure 6-3. Critical connections important for providing a continuous load path	6-25
Figure 6-4. Continuous load path in a reinforced masonry building	6-26
Figure 6-5. Load path failure between bond beam and top of URM wall	6-26
Figure 6-6. Steel columns that failed at their connection to the foundation	6-27
Chapter 7	
Figure 7-1. Examples of large debris generated by tornadoes and hurricanes.....	7-4
Figure 7-2. School bus lifted atop a section of a high school.....	7-5
Figure 7-3. Refrigerator pierced by windborne missile	7-6
Figure 7-4. Variations of impact impulse as a function of impact angle.....	7-14
Figure 7-5. Measured raw and filtered forcing functions	7-15
Figure 7-6. Impulse as a function of initial missile momentum for 2x4	7-15
Figure 7-7. Plywood/masonry infill and plywood/metal wall sections.....	7-16
Figure 7-8. Uses of expanded metal and sheet metal in wall sections.....	7-17
Figure 7-9. Composite wall section	7-18
Figure 7-10. Concrete masonry unit (CMU) wall sections	7-18
Figure 7-11. Reinforced concrete wall sections	7-19
Figure 7-12. Safe room door protected by a missile-resistant barrier.....	7-26
Figure 7-13. Soil cover over a safe room	7-29
Chapter 9	
Figure 9-1. Example of a wind safe room sign.....	9-10