





Pre Manufactured Residential Producer Members

Logo	Name	Contact Information	Producer Type	Specialization	Description
	Bartow Precast	<p>Central Alabama Storm Shelters POC: Keith Gwin 1005 Normandale Circle Birmingham, AL 35023 Phone: (205) 427-4946 Email: keith.gwin@alashelters.com Website: http://alashelters.com/</p> <p>Install: Vaughn Concrete Products, Inc. (Safe rooms) & Bartow Precast</p>			
	ESP Safety Shelters by Swisher Acquisition	<p>POC: Paul Lawrence 1602 Corporate Dr. Warrensburg, MO 64093 Phone: (800) 222-8183 Email: esp@swisherinc.com Website: www.swisherinc.com/categories/esp.html</p>	Steel	Above Ground Safe Rooms	<p>SR84X039G Internal 80" L x 35W x 76" H External 87" L x 42" W x 78" H Up to 6 Person Capacity</p> <p>SR84X084G Internal 80" L x 80" W x 76" H External 87" L x 87" W x 78" H Up to 14 Person Capacity</p> <p>SR114X84G Wheel Chair Accessible Model Internal 110" L x 80" W x 76" H External 117" L x 87" W x 78" H Up to 25 Person Private/12 Person Business Reduce total occupancy by 3 for each Wheel Chair occupant</p>
	Macon Septic Systems, Inc.	<p>POC: Galen Schrock 17932 Highway 45 Macon, MS 39341 Phone: (662) 726-2300 Email: galen@maconseptic.com Website: www.maconseptic.com</p>	Concrete	Above Ground Safe Rooms	<p>Occupants 9 OUTSIDE DIMENSIONS: 8' WIDE x 8' LONG x 7' TALL</p> <p>Occupants 13 OUTSIDE DIMENSIONS: 8'-6" WIDE x 10'-0" LONG x 7'-6" TALL</p>
	Miami Nation Stronghold, LLC	<p>POC: Karen Olsen 1845 S. State HWY MM Springfield, MO 65802 Phone: (417) 725-0055 Email: karen@strongholdsaferooms.com Website: http://stronghold.mn-e.com/</p>	Steel	Above Ground Safe Rooms	<p>Pre-Manufactured (Welded) Occupants 2-4 -- Exterior Dimensions: 3'x5'x6'4"; 4'x4'x6'4" Occupants 3-5 -- Exterior Dimensions: 4'x5'x6'4"; 3'6"x5'6"x6'4"; 3'x6'x6'4" Occupants 5-6 -- Exterior Dimensions: 5'x6'4" Occupants 4-5 -- Exterior Dimensions: 3'x7'x6'4" Occupants 7-8 -- Exterior Dimensions: 4'x7'x6'4" Occupants 6-7 -- Exterior Dimensions: 5'x6'x6'4" Occupants 6-8 -- Exterior Dimensions: 4'x8'x6'4" Occupants 7-9 -- Exterior Dimensions: 6'x6'x6'4" Occupants 8-10 -- Exterior Dimensions: 5'x8'x6'4" Occupants 9-12 -- Exterior Dimensions: 6'x6'x6'4" Occupants 10-12 -- Exterior Dimensions: 5'x10'x6'4"; 5'x10'x7'4"; Occupants 12-16 -- Exterior Dimensions: 8'x8'x6'4" Occupants 16-20 -- Exterior Dimensions: 8'x10'x6'4" Occupants 19-24 -- Exterior Dimensions: 8'x12'x6'4"</p> <p>Bolt Together Models Occupants 2-3 -- Exterior Dimensions: 35"x60"x76" Occupants 4-6 -- Exterior Dimensions: 45"x70"x72"; 45"x70"x76"; Occupants 5-7 -- Exterior Dimensions: 45"x90"x76" Occupants 6-9 -- Exterior Dimensions: 55"x90"x76" Occupants 6-8 -- Exterior Dimensions: 65"x70"x76" Occupants 10-13 -- Exterior Dimensions: 85"x90"x76"</p>



Norwalk Concrete Industries
POC: John Lendrum
 80 Commerce Drive
 Norwalk, OH 44857
Phone: (419) 668-8167
Email: jlendrum@nciprecast.com
Website: www.nciprecast.com

Concrete Above Ground Safe Rooms

Our larger model safe room qualifies for "Other Residential" or smaller occupancy commercial use such as for small businesses.
Occupants 7
Inside Dimensions: 6'-0" WIDE x 6'-0" LONG x 7'-0" TALL
Outside Dimensions: 7'-0" WIDE x 7'-0" LONG x 8'-8" TALL
 (Approximate size) - Larger Sizes Available!



Protection Shelters LLC
POC: Chris Baalman
 PO Box 9091
 Wichita, KS 67277
Phone: (316) 722-4499
Email: chris@protectionshelters.com
Website: www.protectionshelters.com

 Display-Open 24/7
 3811 S West Street
 Wichita, KS 67217

Concrete, Steel, Custom Above Ground Safe Rooms, Below Ground Safe Rooms, Partial Below Ground Safe Rooms

ABOVE GROUND SAFE ROOMS
 Custom Steel safe rooms to meet occupancy ratings for 2 up to 16 people (based on 3 sq/ft per person).

 Concrete safe rooms come in 6'X8' with 4" walls or can be custom built up to 10'X24' with walls from 4" up to 8" thick to meet any residential use and size requirement.

BELOW GROUND SAFE ROOMS
 Steel underground safe rooms come in standard sizes of 6'X6' or 6'X8', but can be custom ordered to meet your residential use and size requirements.

PARTIAL BELOW GROUND SAFE ROOMS
 Concrete partial-below ground safe rooms come in a standard size of 6' x 8' (tall) with a sloped door on the top 4' above ground. [can be partially covered with dirt]



Safe Sheds, Inc.
POC: Don Guymon
 7029 Parrill Rd
 Alma, IL 62807
Phone: (888) 556-1531
Email: support@safesheds.com
Website: www.safesheds.com

Concrete Above Ground Safe Rooms

ABOVE GROUND SAFE ROOMS
Occupants 6
OUTSIDE DIMENSIONS: 6' WIDE x 6' LONG x 6'8" TALL

Occupants 14
OUTSIDE DIMENSIONS: 8' WIDE x 10'- LONG x 6'-8" TALL
 6" concrete floor and 4" concrete
 Custom Stucco Exterior (90 colors)
 3/16" thick steel door with 3 locking points

Storm shelter installation is included in price
 2 LED motion sensing automatic interior lights



Survive-A-Storm
POC: Kaitlin Parramore
 1207 Sunset Drive
 Thomasville, GA 31792
Phone: (888) 360-1492
Email: kaitlin@survive-a-storm.com
Website: www.survive-a-storm.com

 • Residential safe rooms are marketed by Home Depot
 • Installed by Survive-a-Storm trained personnel
 • Visit their website and find a retailer near you!

Steel Above Ground Safe Rooms & Below Ground Safe Rooms

ABOVE GROUND SAFE ROOMS
TwisterPod - (cylinder shaped model)
 4 person - 12.57 sq/ft

Extreme Models - (welded and pre-assembled with NIJ Level 2A ballistic rating.)
 5 person 4' x 4' x 6'6" tall
 8 person 4' x 6' x 6'6" tall (end door)
 8 person 6' x 4' x 6'6" tall (side door)
 10 person 4' x 8' x 6'6" tall
 12 person 6' x 6' x 6'6" tall
 12 person 6' x 6' x 6'6" tall
 16 person 6' x 8' x 6'6" tall

Panelized Models - (bolt together and assembled on site)
 5 person 4' x 4' x 7' tall
 8 person 6' x 6' x 7' tall (end door)
 8 person 6' x 4' x 7' tall (side door)
 10 person 4' x 8' x 7' tall
 12 person 6' x 6' x 7' tall
 12 person 6' x 6' x 7' tall
 16 person 6' x 8' x 7' tall

BELOW GROUND SAFE ROOMS
GarageCube - (flush mounted below your existing garage slab, sliding door)
 10 Person - 8' x 4' x 5' tall
 Estate & Max Models (buried in your yard or field, Max compact has vertical steps
 Estate 10 person 30 sq./ft.
 Max 16 person 60 sq./ft.



Tornado Alley Armor

POC: Leslie & Monty McGee
• Showroom and Main Office
9322 Broken Arrow Expressway
Tulsa, OK 74145
Phone: (655) 552-7667
• Showroom
1218 N Belt Line Rd.
Irving, TX 75061
Phone: (469)429-7889
Email: sales@torandoalleyarmor.com
Website: www.torandoalleyarmor.com

Steel

Above Ground Safe Rooms

Above Ground Modular Residential Safe Rooms, Tornado Shelters, Storm Shelters, and Panic Rooms by Tornado Alley Armor are DIY Friendly, Entrapment Proof and Relocatable!

We Ship and Install Nationwide

Visit our show rooms in Tulsa , Oklahoma and Richardson, Texas in the DFW metro.

RESIDENTIAL MODELS

Champion: 3 person
2'6" x 4'8" x 6'8" tall
Defender: 5 person
2'6" x 6'10" x 6'8" tall
Rampart: 7 person
4'8" x 4'8" x 6'8" tall
Guardian: 10 person
4'8" x 6'10" x 6'8" tall
Reliant: 14 person
4'8" x 9' x 6' 8" tall
Protector: 15 person
6'10" x 6'10 x 6'8" tall



Vaughn Concrete Products, Inc.

4 Locations:
10021 Amarillo Blvd E,
Amarillo, TX 79108
Phone: (806)374-3747

12650 Tucson St
Henderson, CO 80640
Phone: (303)659-3747

Email: storm@vcpinc.net
Website: www.vaughnconcreteproducts.com

Concrete

Above Ground Safe Rooms

STAND ALONE MODELS

Includes 6" concrete base
8 Person - 5' x 5' x 6'6"
12 Person - 6'x6'x6'-6"

EPOXY DOWN MODELS

Can be set on existing slabs
6 Person -3' x 6' x 5'2"
11 Person - 5'4" x 6'4" x 6'-4"
16 Person - 5'4" x 6'4" x 6'-4"

Thank you for your interest in our Precast Concrete Storm Shelters all of which are certified to meet the ICC 500 Standard and meet FEMA P-361 guidelines. Let us tell you a little bit about our company. We are a family owned business that has been in operation since 1962.

Our President, Mike Vaughn, is a registered Professional Engineer licensed in 19 states. We manufacture utility structures that are rated for both heavy vehicle and aircraft loadings on a regular basis. We began producing Storm Shelters in 2002.



Wieser Concrete

Andy Wieser
W3716 US Hwy 10
Maiden Rock, WI 54750
Phone: (800) 325-8456

Mark Wieser
815 Riley Rd.
Portage, WI 53901
Phone: (800) 362-7220

Draw Wieser
4419 Wagon Wheel Road
Roxana, IL 62094
Phone: (618) 251-9210
Email: dreww@wieserconcrete.com
Website: wieserconcrete.com

Concrete

Above Ground Safe Rooms

ABOVE GROUND SAFE ROOMS - CONCRETE

8 person Safe Room with 6" Concrete Base
Approximate Inside Dimensions: 5' Wide x 5' Long x 6'6" Tall
Approximate Outside Dimensions: 5'10"-0" Wide x 5'10" Long x 7'1" Tall

12 Person Safe Room with 6" Concrete Base
Approximate Inside Dimensions: 6'-0" Wide x 6'-0" Long x 7'-0" Tall
Approximate Outside Dimensions: 7'-0"-0" Wide x 7'0" Long x 8'8" Tall

Bolt-on Galvanized Steel Frame with 36" Wide Steel Powder Coated Door
Installed Prior to Delivery—Door Weighs approximately 260 lbs.
Bolt-On Frame & Door are Replaceable